

RECEIVED  
CENTRAL FAX CENTER  
FEB 03 2005

Docket No. 004518/00019

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

|             |   |            |              |
|-------------|---|------------|--------------|
| APPLICANT:  | West et al.   | EXAMINER:  | Vestal, R.M. |
| SERIAL NO.: | 10/074,219  | GROUP:     | 1753         |
| FILED:      | 12 February 2002  | CONF. NO.: | 6185         |
| FOR:        | Combination pH Electrode with Stable Standard Potential |            |              |

COMMISSIONER FOR PATENTS  
P.O. BOX 1450  
ALEXANDRIA, VA 22313-1450  
FILED VIA FACSIMILE TO: (703) 872-9306 (14 Total Pages)


Sir:

OFFICE ACTION RESPONSE UNDER 37 C.F.R. § 1.111

In response to the Office Action dated 03 November 2004, please amend the above-identified application as described herein.

Should the Examiner wish to discuss any of the amendments and/or remarks made herein, the undersigned attorney would appreciate the opportunity to do so. Thus the Examiner is hereby invited to call the undersigned, collect, at the number shown.

Respectfully submitted,



Ernest V. Linek (Reg. No. 29,822)

Attorney for Applicant  
BANNER & WITCOFF, LTD.

28 State Street, 28<sup>th</sup> Floor  
Boston, MA 02109-1775

Tel: (617) 720-9600

Fax: (617) 720-9601

E-Mail: ELinek@bannerwitcoff.com

Date: February 3, 2005